## FIRST CHOICE SAFETY FLOORING Potential Contributions to LEED Green Building Certification Program LEED New Construction Program

LEED Credit	Credit Name	LEED Credit Value <sup>1</sup>	Credit Intent	Applicability to Biltrite Commercial Flooring Material	Details
MMc 2.1 MMc 2.2	Construction Waste Management (50%) Construction/Waste Management (75%)	1 pt. 1 pt.	Divert construction & demolition debris from disposal in Landfills and incinerators. Redirect recyclable recovered resources back to the manufacturing process. Redirect reusable materials to appropriate sites.	Product contributes its portion by weight or volume to the total quantity of waste generated & diverted in the process of construction & demolition.	Factory's scrap recycling program allows for clean flooring installation scrap to be returned to the manufacturer for recycling/reuse.
MRc 4.1 MRc 4-2	Recycled Content (10%) Recycled Content (20%)	1 pt. 1 pt.	Increase demand for building products that incorporate recycled content materials, thereby reducing the impacts from extraction & processing of prime materials.	Product contributes its proportional value, by cost to the total cost of all recycled materials on the project.	First Choice Safety Flooring is manufactured from 75% Pre-Consumer Recycled content.

Note 1: Points toward LEED Green Building Rating System are not awarded on the basis of products but on the building performance achieved through sustainable design, construction and operations of buildings, which can include the use of sustainable materials and products. The products covered in this chart can assist building teams by contributing to LEED credits as long as the overall design meets or exceeds the LEED performance standards.

## FIRST CHOICE SAFETY FLOORING Potential Contributions to LEED Green Building Certification Program LEED Commercial Interiors

LEED Credit	Credit Name	LEED Credit Value	Credit Intent	Applicability to Biltrite Commercial Flooring Material	Details
MRc 2.1 MRc 2.2	Construction Waste Management (50%) Construction/Waste Management (75%)	1 pt. 1 pt.	Divert construction & demolition debris from disposal in landfills and incinerators. Redirect recyclable recovered resources back to the manufacturing process. Redirect reusable materials to appropriate sites.	Product contributes its portion by weight or volume, to the total quantity of waste generated & diverted in the process of construction & demolition.	The factory's scrap recycling program allows for clean flooring installation scrap to be returned to the manufacturer for recycling/reuse.
MRc 4.1 MRc 4.2	Recycled Content (10%) Recycled Content (20%)	1 pt. 1 pt.	Increased demand for building products that incorporate recycled content materials, thereby reducing the impacts from extraction & processing of prime materials.	Product contributes its proportional value, by cost to the total cost of all recycled materials on the project.	First Choice Safety Flooring is manufactured from 75% Pre-Consumer Recycled content.

Note 1: Points toward LEED Green Building Rating System are not awarded on the basis of products but on the building performance achieved through sustainable design, construction and operations of buildings, which can include the use of sustainable materials and products. The products covered in this chart can assist building teams by contributing to LEED credits as long as the overall design meets or exceeds the LEED performance standards.

## FIRST CHOICE SAFETY FLOORING Potential Contributions to LEED Green Building Certification Program LEED Existing Building - Operations and Maintenance

LEED Credit	Credit Name	LEED Credit Value <sup>1</sup>	Credit Intent	Applicability to Biltrite Commercial Flooring Material	Details
MRc 3	Sustainable Purchasing: Facility Alterations and Additions	1 pt.	To reduce the environmental and air quality impacts of the materials acquired for use in the upgrade of buildings.	Products w/Recycled Content Product contributes its proportional value, by cost to the total cost of all recycled materials on the project.	First Choice Safety Flooring is manufactured with 75% Pre-Consumer Recycled content.
MRc 9	Solid Waste Management: Facility Alterations & Additions	1 pt.	To divert construction and demolition waste from disposal to landfills and incineration facilities. Redirect recyclable recovered resources to the manufacturing process. Redirect reusable materials to appropriate sites.	Product contributes its portion, by weight or volume, to the total quantity of waste generated & diverted in the process of construction & demolition.	The factory's scrap recycling program allows for clean flooring installation scrap to be returned to the manufacturer for recycling/reuse.

Note 1: Points toward LEED Green Building Rating System are not awarded on the basis of products but on the building performance achieved through sustainable design, construction and operations of buildings, which can include the use of sustainable materials and products. The products covered in this chart can assist building teams by contributing to LEED credits as long as the overall design meets or exceeds the LEED performance standards.

Revised: February 28, 2011